

**Samples taken from 46 athletes by Moscow laboratory ahead of London 2012 Olympics**



**THE SPORTS  
INTEGRITY  
INITIATIVE**

<b>Sample No.</b>	<b>Results</b>	<b>ADAMS Results</b>
1	desoxymethyltestosterone (Madol) traces	Negative findings
2	oralturinabol (DHCMT) 150,000, oxandrolone (Anavar) 20,000	Negative findings
3	oralturinabol 450,000	Negative findings
4	oralturinabol 45,000	Negative findings
5	methasterone 140,000, oralturinabol 20,000, desoxymethyltestosterone 20,000	Negative findings
6	T/E = 10, desoxymethyltestosterone 40,000	Negative findings
7	cannabimimetics JWH-018 (200,000), nandrolone 1 ng/ml, oralturinabol 12,000	Negative findings
8	desoxymethyltestosterone 300,000	Negative findings
9	methasterone 14,000; drostanolone 1,800,000	Negative findings
10	methasterone 140,000; oralturinabol 350,000; oxandrolone 6,000; desoxymethyltestosterone 25,000	Negative findings
11	desoxymethyltestosterone 25,000	Negative findings
12	methasterone 230,000; oralturinabol 10,000; desoxymethyltestosterone 30,000	Negative findings
13	T/E = 4.2; desoxymethyltestosterone 120,000	Negative findings
14	oxandrolone 200000	Negative findings
15	oralturinabol 10000, boldenone, 1-testosterone (5 ng/ml)	Negative findings
16	oxandrolone 20000, boldenone, 1-testosterone (5 ng/ml)	Negative findings
17	dehydroepiandrosterone (=DHEA), androsterone (500ng/ml), boldenone (20 ng/ml)	Negative findings
18	methyltestosterone (5ng/ml)	Negative findings
19	oxandrolone 20000, oralturinabol 20000	Negative findings
20	dehydroepiandrosterone (=DHEA), nandrolone (3nd/ml)	Negative findings
21	clean, EPO analysis not finished	Negative findings
22	boldenone 0.8ng/ml; 1-testosterone 1 ng/ml; methylhexaneamine 120 ng/ml	Negative findings
23	boldenone 0.3 ng/ml; 1-testosterone 0.3 ng/ml; methylhexaneamine 60 ng/ml	Negative findings
24	boldenone 0.4 ng/ml; 1-testosterone 0.6 ng/ml; methylhexaneamine 90 ng/ml	Negative findings
25	boldenone 0.6 ng/ml; 1-testosterone 0.7 ng/ml	Negative findings
26	boldenone 1 ng/ml; 1-testosterone 20 ng/ml	Negative findings
27	methasterone 20,000; oralturinabol 3,500	Negative findings
28	EPO analysis ordered, nor finished, the rest is clean	Negative findings
29	EPO analysis ordered, nor finished, the rest is clean	Negative findings
30	EPO analysis ordered, nor finished, the rest is clean	Negative findings
31	EPO analysis ordered, nor finished, the rest is clean	Negative findings

Sample No.	Results	ADAMS Results
32	EPO analysis ordered, nor finished, the rest is clean	Negative findings
33	EPO analysis ordered, nor finished, the rest is clean	Negative findings
34	EPO analysis ordered, nor finished, the rest is clean	Negative findings
35	EPO analysis ordered, nor finished, the rest is clean	Negative findings
36	EPO analysis ordered, nor finished, the rest is clean	Negative findings
37	oralurinabol 740,000	Negative findings
38	oralurinabol 20,000	Negative findings
39	oralurinabol 4,000	Negative findings
40	oralurinabol 200,000; oxandrolone 5,000	Negative findings
41	T/E = 4.2	Negative findings
42	EPO analysis ordered, nor finished	Negative findings
43	EPO analysis ordered, nor finished	Negative findings
44	EPO analysis ordered, nor finished	Negative findings
45	EPO analysis ordered, nor finished	Negative findings
46	EPO analysis ordered, nor finished	Negative findings
47	T/E = 6	Negative findings
48	methasterone 25,000; drostanolone 3,600,000	Negative findings
49	T/E = 4; desoxymethyltestosterone 60,000	Negative findings
50	probably dehydroepiandrosterone, EPO analysis ordered, nor finished	Negative findings
51	EPO analysis ordered, nor finished	Negative findings
52	EPO analysis ordered, nor finished	Negative findings
53	EPO analysis ordered, nor finished	Negative findings
54	oralurinabol 15,000	Negative findings
55	nandrolone 3 ng/ml; oralurinabol 50,000; oxandrolone 8,000	Negative findings
56	oralurinabol 4,000	Negative findings
57	methasterone 90,000; oralurinabol 12,000; desoxymethyltestosterone 10,000	Negative findings
58	methasterone 160,000; oralurinabol 400,000; oxandrolone 5,000; desoxymethyltestosterone 15,000	Negative findings
59	oralurinabol 590,000	Negative findings
60	oxandrolone 12,000	Negative findings
61	oxandrolone 19,001	Negative findings
62	oralurinabol 45,000; oxandrolone 1,800	Negative findings
63	oralurinabol 30,001	Negative findings
64	methyltestosterone 30,000	Negative findings
65	oralurinabol 4,000; boldenone 8,000 (0.6 ng/ml); 1- testosterone 15,000 (2 ng/ml)	Negative findings

<b>Sample No.</b>	<b>Results</b>	<b>ADAMS Results</b>
66	EPO analysis ordered, nor finished, the rest is clean	Negative findings
67	EPO analysis ordered, nor finished, the rest is clean	Negative findings
68	EPO analysis ordered, nor finished, the rest is clean	Negative findings

Source: [https://wada-main-prod.s3.amazonaws.com/resources/files/20160718\\_ip\\_report\\_final2.pdf](https://wada-main-prod.s3.amazonaws.com/resources/files/20160718_ip_report_final2.pdf)